# **Information Retrieval Lab**

Welcome to week 5 of the Information Retrieval class 2023

# **Agenda**

1. Organization

2. Project Info: Milestone 2

# **Organization**

**Deadline Milestone 1 is THURSDAY, 04.05.23! (23:59 h)** (Note: Yes, it has changed. You should have received an email about that. If not, notify us!)

#### **Overall Goals**

- You will receive a ranked list of documents (run file) from us based on your datasets that you submitted in Milestone 1
- Create relevance assessments for the documents from Milestone 1
- Create a baseline information retrieval system that produces a run file using the topics you have created to assess the relevance of your information retrieval system
- Evaluate your baseline information retrieval system

- What are relevance assessments?
- What is a baseline information retrieval system?
- □ What is a run file?

- What are relevance assessments?
  Relevance assessments are (mostly human) judgements, that indicate if a retrieved document is relevant to a specific search query. Binary relevance assessments only judge a document in terms of *relevant* or *irrelevant*.
- What is a baseline information retrieval system?
- What is a run file?

- What are relevance assessments?
  Relevance assessments are (human) judgements, that indicate if a retrieved document is relevant to a specific search query. Binary relevance assessments only judge a document in terms of relevant or irrelevant.
- What is a **baseline** information retrieval system?
  A baseline information retrieval system is a simple and widely spread retrieval method applied to a dataset. It retrieves documents using known methods (e.g. BM25).
- What is a run file?

- What are relevance assessments?
  Relevance assessments are (mostly human) judgements, that indicate if a retrieved document is relevant to a specific search query. Binary relevance assessments only judge a document in terms of relevant or irrelevant.
- What is a **baseline** information retrieval system?
  A baseline information retrieval system is a simple and widely spread retrieval method applied to a dataset. It retrieves documents using known methods (e.g. BM25).
- What is a run file?
  Your TIRA submission from milestone 1 produced a run file on tira. This file contains a ranked list of documents for specific topics/queries.

### What to do

 Create binary relevance assessments (qrels) of the output from Milestone 1 (run file). The qrels file must follow the standard TREC style:

```
qid O docno relevance
```

qid: query number, 0: literal 0, docno: id of a document in your collection, and relevance: how relevant is docno for qid.

Include your relevance assessments into the dataset you created in Milestone 1 and register it into ir\_datasets as before.

 Create a baseline retrieval system that will produce a run file in the same format as the output of Milestone 1, that is standard TREC run file format:

```
qid Q0 docno rank score tag
```

qid: query number, Q0: literal Q0, docno: id of a retrieved document, rank: position (1 to max 1000) in the ranked list, score: score computed by your retrieval system, and tag: identifying name of the retrieval system.

- □ Evaluate the effectiveness of this baseline information retrieval system using the relevance assessments you created in the first step of Milestone 2.
- Persist your run in TIRA by following this tutorial: https://github.com/

mam10eks/ir-lab-sose-2023/tree/main/milestone-02

#### What to hand in

- Your relevance assessments as qrels.txt file and the effectiveness scores that your baseline retrieval system obtained via email to harry.scells@uni-leipzig.de and theresa.elstner@uni-leipzig.de
- Upload and execute your baseline information retrieval system in TIRA on the dataset that you submitted as milestone 1

When to hand in

**DEADLINE FOR MILESTONE 2 is the 06.06.23**